10.06.21 windhamfabrics.com



Sugar Maple

designed by Wendy Sheppard featuring Canadian Christmas, Diamond Dust, and Dad Plaids by Whistler Studios $$_{\rm SIZE:~71''}\times81''$$



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.





KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		DIAMOND DUST 51394-1 Red	1/4	PIECED BLOCKS: (1) 1" x WOF strip. Subcut the following: (12) 1" x 1" squares. (2) 1" x 2 ½" rectangles. (1) 1 ½" x WOF strip. Subcut the following: (8) 1 ½" x 1 ½" squares. (2) 1 ½" x 3 ½" rectangles. (4) 1 ½" x 3" rectangles. (1) 3 ½" x WOF strip. Subcut The following: (2) 3 ½" x 3 ½" squares. (4) 3" x 3" squares.
В		DIAMOND DUST 51394-2 Fire Engine	1/4	PIECED BLOCKS: (1) 1" x WOF strip. Subcut the following: (12) 1" x 1" squares. (2) 1" x 2 ½" rectangles. (1) 1 ½" x WOF strip. Subcut the following: (8) 1 ½" x 1 ½" squares. (2) 1 ½" x 3 ½" rectangles. (4) 1 ½" x 3" rectangles. (1) 3 ½" x WOF strip. Subcut the following: (2) 3 ½" x 3 ½"squares. (4) 3" x 3" squares.
С		DIAMOND DUST 51394-30 Mist	1 3/8	SASHING RECTANGLES: (2) 1 ½" x WOF strips. Subcut (8) 1 ½" x 9 ½" rectangles. (2) 9 ½" x WOF strips. Subcut (41) 1 ½" x 9 ½" rectangles. INNER BORDER 1: (6) 1 ½" x WOF strips. Piece strips and subcut the following: (2) 1 ½" x 51 ½" strips. (2) 1 ½" x 59 ½" strips. INNER BORDER 5: (7) 2" x WOF strips. Piece strips and subcut the following: (2) 2" x 61 ½" strips. (2) 2" x 68 ½" strips.
D		DIAMOND DUST 51394-39 Black	1/4	PIECED BLOCKS: (1) 1" x WOF strip. Subcut the following:



E	DIAMOND DUST 51394-41 Grey	1/4	PIECED BLOCKS: (1) 1" x WOF strip. Subcut the following: (12) 1" x 1" squares. (2) 1" x 2 ½" rectangles. (1) 1 ½" x WOF strip. Subcut the following: (8) 1 ½" x 1 ½" squares. (2) 1 ½" x 3 ½" rectangles. (4) 1 ½" x 3" rectangles. (1) 3 ½" x WOF strip. Subcut the following: (2) 3 ½" x 3 ½" squares. (4) 3" x 3" squares.
F	DIAMOND DUST 51394-43 Snow	3 1/8	PIECED BLOCKS: (9) 1" x WOF strips. Subcut the following:
G	DAD PLAIDS 51869-1 Red	1/4	PIECED BLOCKS: (1) 1" x WOF strip. Subcut the following: (18) 1" x 1" squares. (3) 1" x 2 ½" rectangles. (2) 1 ½" x WOF strips. Subcut the following: (12) 1 ½" x 1 ½" squares. (3) 1 ½" x 3 ½" rectangles. (6) 1 ½" x 3" rectangles. (1) 3 ½" x WOF strip. Subcut the following: (3) 3 ½" x 3 ½" squares. (6) 3" x 3" squares.



н	DAD PLAIDS 51869-5 Cream	1/4	PIECED BLOCKS: (1) 1" x WOF strip. Subcut the following: (24) 1" x 1" squares. (4) 1" x 2 ½" rectangles. (2) 1 ½" x WOF strips. Subcut the following: (16) 1 ½" x 1 ½" squares. (4) 1 ½" x 3 ½" rectangles. (8) 1 ½" x 3" rectangles. (1) 3 ½" x WOF strip. Subcut the following:
LOVE HO			(4) 3 ½" x 3 ½" squares. (8) 3" x 3" squares. PIECED BLOCKS: (1) 1" x WOF strip. Subcut the following: (24) 1" x 1" squares.
I HOPE PEACE PE MAS LOVE	CANADIAN CHRISTMAS 52759D-2 Black	1/4	(4) 1" x 2 ½" rectangles. (2) 1 ½" x WOF strips. Subcut the following: (16) 1 ½" x 1 ½" squares. (4) 1 ½" x 3 ½" rectangles. (8) 1 ½" x 3" rectangles. (1) 3 ½" x WOF strip. Subcut the following: (4) 3 ½" x 3 ½" squares. (8) 3" x 3" squares.
I TAME DISTRICT STATE OF THE ST	CANADIAN CHRISTMAS 52759D-3 White BINDING	3/4	BINDING: (9) 2 ¼" x WOF strips. Piece strips to make a continuous binding strip.
K	CANADIAN CHRISTMAS 52760D-2 Black	2 ½	OUTER BORDER: Fussy cut (4) 5 ½" wide strips on length of fabric. Center the gift box and Canadian leaf motifs within each strip. Ensure there is a ¾" seam allowance on either side of the fussy cut motifs. Subcut (2) 5 ½" x 75 ½" strips and (2) 5 ½" x 85 ½" strips.
L ***	CANADIAN CHRISTMAS 52761D-1 Grey	1/4	PIECED BLOCKS: (1) 1" x WOF strip. Subcut the following:



М	CANADIAN CHRISTMAS 52761D-3 White	1/2	INNER BORDER 3: (7) 2" x WOF strips. Piece strips and subcut the following: (2) 2" x 56 ½" strips. (2) 3" x 63 ½" strips.
Ν	CANADIAN CHRISTMAS 52762D-2 Black	1/4	PIECED BLOCKS: (1) 1" x WOF strip. Subcut the following:
0	CANADIAN CHRISTMAS 52763D-1 Grey	1/4	PIECED BLOCKS: (1) 1" x WOF strip. Subcut the following:
Р	CANADIAN CHRISTMAS 52763D-3 White	1/8	CORNERSTONES: (1) 1" x WOF strip. (20) 1 ½" x 1 ½" squares.
Q	CANADIAN CHRISTMAS 52763D-4 Red	1/4	PIECED BLOCKS: (1) 1" x WOF strip. Subcut the following: (18) 1" x 1" squares. (3) 1" x 2 ½" rectangles. (2) 1½" x WOF strips. Subcut the following: (12) 1½" x 1½" squares. (3) 1½" x 3½" rectangles. (6) 1½" x 3" rectangles. (1) 3½" x WOF strip. Subcut the following: (3) 3½" x 3½" squares. (6) 3" x 3" squares.
	Backing	5 1/8	Batting 79" x 89"


WOF=WIDTH OF FABRIC

PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you test the pattern prior to making the project. Test templates first, before cutting all the pieces.




PIECING INSTRUCTIONS


1. Draw a diagonal line on the wrong side of (1) 1" x 1" print square. Place square, right sides together, at the bottom left corner of (1) 1 ½" x 2" **Fabric F** rectangle. Sew on drawn line. Trim ¾" away from sewn line. Open and press to reveal corner triangle. Repeat with (1) 1 ½" x 1 ½" print square at the bottom right corner of the same **Fabric F** rectangle. Repeat to make a mirror-imaged unit.




2. Sew both units together along the short sides. Add (1) 1 ½" x 3 ½" **Fabric F** rectangle to the top, and (1) 1 ½" x 3 ½" print rectangle to the bottom. Sewn unit measures 3 ½" x 3 ½" unfinished.




3. Sew (2) 3 ½" x 3 ½" **Fabric F** squares to the left and right sides of Step 2 unit to make a row unit. Row unit measures 3 ½" x 9 ½" unfinished.



4. Draw a diagonal line on the wrong side of (1) 1" x 1" print square. Place square, at a corner of (1) 1" x 1 ½" **Fabric F** rectangle. Sew on drawn line, noting seam orientation. Trim ¼" away from sewn line. Open and press to reveal corner triangle.




5. Sew (1) 1" x 2 ½" **Fabric F** rectangle to the left of Step 4 unit to make a row unit. Row unit measures 1" x 3 ½" unfinished.







6. Draw a diagonal line on the wrong side of (1) 1" x 1" **Fabric F** square. Place square, right sides together, at the top right corner of (1) 3" x 3" print square. Sew on drawn line. Trim ¼" away from sewn line. Open and press to reveal triangle. Repeat with (1) 1 ½" x 1 ½" **Fabric F** square at the bottom left corner of the same print square.





- 7. Draw a diagonal line on the wrong side of (1) 1" x 1" print square. Place square, right sides together, at a corner of (1) 1" x 2" **Fabric F** rectangle. Sew on drawn line, noting seam orientation. Trim ¼" away from sewn line. Open and press to reveal corner triangle.
- 8. Add (1) 1" x 1 ½" **Fabric F** rectangle to the top. Sewn unit measures 1" x 3" unfinished.




9. Sew Step 8 unit to the left side of Step 6 unit. Next sew Step 5 unit to the top of Step 6 unit. Sewn unit measures 3 ½" x 3 ½" unfinished.









10. Repeat to make a mirror-image of Step 9 unit. Sew both units to the left and right sides of (1) 3 ½" x 3 ½" print square to make a row unit. Row unit measures 3 ½" x 9 ½" unfinished.














11. Draw a diagonal line on the wrong side of (1) 1 ½" x 1 ½" **Fabric F** square. Place square, right sides together, at a corner of (1) 1 ½" x 3" print rectangle. Sew on drawn line, noting seam orientation. Trim ¾" away from sewn line. Open and press to reveal corner triangle.




12. Add (1) 1" x 1 ½" **Fabric F** rectangle to the left to make a row unit. Then sew (1) 2 ½" x 3 ½" **Fabric F** rectangle to the bottom. Sewn unit measures 3 ½" x 3 ½" unfinished. Repeat to make a mirror-imaged unit.







13. Draw a diagonal line on the wrong side of (1) 1 ½" x 1 ½" print square. Place square, right sides together, at the top left corner of (1) 1 ¾" x 3 ½" **Fabric F** rectangle. Sew on drawn line. Trim ½" away from sewn line. Open and press to reveal corner triangle. Repeat to make a mirror-imaged unit.




- 14. Sew (1) 1" x 2 ½" print rectangle to the top of (1) 1" x 1 ½" **Fabric F** rectangle.
- 15. Sew Step 13 units to the opposite long sides of Step 14 unit. Sewn unit measures 3 ½" x 3 ½" unfinished.










16. Sew Step 12 units to the the left and right sides of Step 15 unit to make a row unit. Row unit measures 3 ½" x 9 ½" unfinished.












17. Sew together row units made in Steps 3, 10 and 16 to complete (1) pieced block. Block measures 9 ½" x 9 ½" unfinished.





18. Make a total number of blocks for the following prints:




Make (4)


Fabric A











Fabric L












QUILT CENTER ASSEMBLY


19. Referencing the quilt image for block placement, arrange and sew together (5) pieced blocks and (4) 1 ½" x 9 ½" Fabric C rectangles to make a pieced row. Make a total of (6) pieced rows. Row 1 is shown below.





20. Sew together (5) 1 ½" x 9 ½" **Fabric C** rectangles and (4) 1 ½" x 1 ½" **Fabric P** squares to make a pieced sashing row. Make a total of (5) pieced sashing rows.



21. Sew together pieced rows and pieced sashing rows to complete quilt center.









QUILT TOP ASSEMBLY

- 22. <u>Inner border #1</u>. Sew (2) 1 ½" x 59 ½" **Fabric C** strips to the left and right sides of quilt center, followed by (2) 1 ½" x 51 ½" **Fabric C** strips to the top and bottom of quilt center.
- 23. <u>Inner border #2</u>. Sew (2) 1 ½" x 61 ½" **Fabric F** strips to the left and right sides of quilt center, followed by (2) 1 ½" x 53 ½" **Fabric F** strips to the top and bottom of quilt center.
- 24. <u>Inner border #3</u>. Sew (2) 2" x 63 ½" **Fabric M** strips to the left and right sides of quilt center, followed by (2) 2" x 56 ½" **Fabric M** strips to the top and bottom of quilt center.
- 25. <u>Inner border #4</u>. Sew (2) 1 ½" x 66 ½" **Fabric F** strips to the left and right sides of quilt center, followed by (2) 1 ½" x 58 ½" **Fabric F** strips to the top and bottom of quilt center.
- 26. <u>Inner border #5</u>. Sew (2) 2" x 68 ½" **Fabric C** strips to the left and right sides of quilt center, followed by (2) 2" x 61 ½" **Fabric C** strips to the top and bottom of quilt center.
- 27. Outer border. Center (1) 5 ½" x 85 ½" **Fabric K** strip to each side of the quilt center and sew. Stop stitching a ½" from each end to prepare for mitered corners. There will be excess **Fabric K** at the top and bottom of the quilt center. Repeat to attach (1) 5 ½" x 75 ½" **Fabric K** strip to the top and bottom of the quilt center. Using your favorite mitered corner method, complete all (4) corners of the quilt. Press borders away from the quilt center.





FINISHING THE QUILT

- 28. Layer backing, batting and quilt top.
- 29. Baste the layers together. Quilt as desired.
- 30. Bind to complete the quilt.

